

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---------------------------|
| 1 | BRS | 31 | albal.in. | USPAT; USOCR; EPO; JPO |
| 2 | BRS | 6439 | (receiver recipient) with (fax facsimile email) | USPAT; USOCR; EPO; JPO |
| 3 | BRS | 17 | S2 and ((receiver recipient) adj (preference condition criteria requirement)) | USPAT; USOCR; EPO; JPO |
| 4 | BRS | 0 | (document adj process\$3) same ((receiver recipient) adj (preference condition criteria requirement)) | USPAT; USOCR; EPO; JPO |
| 5 | BRS | 2 | (document adj process\$3) and ((receiver recipient) adj (preference condition criteria requirement)) | USPAT; USOCR; EPO; JPO |
| 6 | BRS | 11 | albal.in. and ((end adj user\$1) client\$1 receiver recipient) | USPAT; USOCR; EPO; JPO |
| 7 | BRS | 6452 | (receiver recipient) with (fax facsimile email) | USPAT; USOCR; EPO; JPO |
| 8 | BRS | 17 | S7 and ((receiver recipient) adj (preference\$1 condition\$1 criteria requirement\$1)) | USPAT; USOCR; EPO; JPO |
| 9 | BRS | 17 | S7 and ((receiver\$1 recipient\$1) adj (preference\$1 condition\$1 criteria requirement\$1)) | USPAT; USOCR; EPO; JPO |
| 10 | BRS | 26 | ("4800488" "5329619" "5367681" "5513126" "5539885" "5548646" "5557320" "5557721" "5678041" "5694546" "5694616" "5757510" "5764898").PN. OR ("6047310").URPN. | US-PGPUB; USPAT; USOCR |
| 11 | BRS | 2 | "4918722".pn. "5206743".pn. | USPAT; USOCR; EPO; JPO |
| 12 | BRS | 2 | "5129016".pn. "5659164".pn. | USPAT; USOCR; EPO; JPO |
| 13 | BRS | 8757 | (receiver recipient) near3 controlled | USPAT; USOCR; EPO; JPO |
| 14 | BRS | 0 | S14 and (document adj classification) | USPAT; USOCR; EPO; JPO |
| 15 | BRS | 0 | S14 and (document adj classifier) | USPAT; USOCR; EPO; JPO |
| 16 | BRS | 1 | S14 and (document adj identifi\$5) | USPAT; USOCR; EPO; JPO |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|---------------------------|
| 17 | BRS | 325 | S13 and (fax facsimile) | USPAT; USOCR; EPO; JPO |
| 18 | BRS | 357 | harkins.in. | USPAT; USOCR; EPO; JPO |
| 19 | BRS | 23 | S18 and profile | USPAT; USOCR; EPO; JPO |
| 20 | BRS | 80 | ("4893307" "4941170" "4974159" "5008853" "5113499" "5125075" "5276731" "5317562" "5347632" "5404505").PN. OR ("5689642").URPN. | US-PGPUB; USPAT; USOCR |
| 21 | BRS | 1 | "5978560".pn. | USPAT; USOCR; EPO; JPO |
| 22 | BRS | 25 | ("5179636" "5287194" "5559933" "5630079" "5813348" "5873659").PN. OR ("5978560").URPN. | US-PGPUB; USPAT; USOCR |
| 23 | BRS | 1 | "5625757".pn. | USPAT; USOCR; EPO; JPO |
| 24 | BRS | 10 | sender with ((access\$3 view\$3 extract\$3) with ((receiver recipient) near3 (condition\$1 preferance\$1 criteria requirement\$1 specification))) | USPAT; USOCR; EPO; JPO |
| 25 | BRS | 2553 | ((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) same (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627" | USPAT; USOCR; EPO; JPO |
| 26 | BRS | 1403 | ((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) with (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627" | USPAT; USOCR; EPO; JPO |
| 27 | BRS | 3 | S26 and 358/438.ccls. | USPAT; USOCR; EPO; JPO |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---------------------------|
| 28 | BRS | 1122 | ((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) near7 (server exchange network send\$3 receiv\$4 transceiv\$5 host computer)) and @ad<"20010627" | USPAT; USOCR; EPO; JPO |
| 29 | BRS | 25 | S28 and processing adj profile | USPAT; USOCR; EPO; JPO |
| 30 | BRS | 149 | ((document page original file) near5 (profile format class\$9) near7 (process\$4 chang\$4 alter\$4 modi\$5)) same (scanner)) and @ad<"20010627" | USPAT; USOCR; EPO; JPO |